



Breedon PlayCourt

Ideal for:

- Playgrounds
- Tennis courts
- Multi-use sport facilities



Breedon PlayCourt Technical Data

Breedon PlayCourt is a 6mm porous asphalt concrete designed to allow rapid drainage through the surface of tennis courts and similar playing surfaces.

PlayCourt is low maintenance and will provide a hard, durable and consistent playing surface for many years.

Maintenance:

PlayCourt requires minimal maintenance although debris and detritus (mud, leaves or grit) should be removed on a regular basis by gentle brushing or vacuuming. Should algae, moss, weeds or grass develop on the surface, these should be treated with a suitable weed killer as soon as possible (when required, moss killer containing Dichlorophen should be used and oil based moss killers avoided). Weeds and grass should not be pulled up until they have died to prevent disruption to the surface. Frequent power washing should be avoided (applied cold with a mild, non-foaming detergent if deemed necessary). Steam cleaners should never be used.

Major benefits include:

- Fully compliant with The Sports and Play Construction Association (SAPCA) guidelines
- Hard, smooth and durable surface
- Can be played on throughout the year
- Can be used in most weather conditions
- Minimal maintenance required
- Good rate of spread
- Free-draining
- Can be supplied as a coloured material
- Available with a 'Plus' modifier, further enhancing durability (recommended for multi-use games areas and playgrounds)
- Should be installed with open-graded sub-base and open-graded bituminous base / binder course(s) to ensure water penetration
- When determined in accordance with DD 229 : 1996, a playground surfaced with 6mm Breedon Playcourt was found to have a mean relative hydraulic conductivity of 29,120mm/hr. The mean water infiltration rate for a play area constructed using 6mm Breedon Playcourt was 8,097mm/hr, when tested to the requirements of BS EN 12616 : 2003. These results demonstrate a high level of porosity.

Breedon PlayCourt is available to all customers.

For further details on this and other surfacings available contact:

Breedon Aggregates Scotland,
Ethiebeaton Quarry, Monifieth,
Angus, DD5 3RB.

Telephone 0845 2707374 Fax 01382 534778
enquiries@breedonaggregates.com

Breedon Aggregates England, Breedon Quarry,
Breedon-on-the-Hill, Derby, DE73 8AP.

Telephone 01332 694000 Fax 01332 695430
sales@breedonaggregates.com

www.breedonaggregates.com

In keeping with our policy of continual product development, Breedon Aggregates reserves the right to alter any specification shown. All products are derived from naturally occurring materials and as such colours depicted are as accurate as this and the limitation of the print process allows. All content is for guidance only with weights and measures being approximates. All recommendations and suggestions made do not constitute a guarantee.